



# El Dorado Irrigation District

## NOTICE OF PUBLIC HEARING

### 2022 TRIENNIAL REPORT OF PUBLIC HEALTH GOALS FOR DRINKING WATER IN THE DISTRICT'S MAIN WATER SYSTEM

Regular Board Meeting  
EID Headquarters – Board Room  
2890 Mosquito Road, Placerville, CA 95667

**Monday, June 27, 2022 – 9:00 A.M.**

**NOTICE IS HEREBY GIVEN** El Dorado Irrigation District (EID) staff will present for Board approval a final draft report comparing EID's drinking water quality in the Main Water System with the Public Health Goals (PHGs) adopted by the California EPA's Office of Environmental Health Hazard Assessment (OEHHA) and with the Maximum Contaminant Level Goals (MCLGs) adopted by the US Environmental Protection Agency (USEPA). PHGs and MCLGs are not enforceable standards and no action to meet them is mandated. EID's Main Water System continues to deliver safe drinking water as required by the State Water Resources Control Board, Division of Drinking Water and the USEPA. Therefore, no additional actions are to be recommended.

Section 11670(b) of the California Health and Safety Code specify that water utilities with greater than 10,000 service connections prepare a report every three years if water quality measurements have exceeded any PHGs and/or MCLG; the latest report is due by July 1, 2022. Only constituents which have a California primary drinking water standard and for which either a PHG or MCLG has been set are to be addressed.

The report is intended to supplement information previously provided to the public in the 2019, 2020, and 2021 Annual Water Quality reports, which are available on EID's website at [www.eid.org](http://www.eid.org).

Requests for additional information regarding the PHG Report can be addressed to Radenko Odzakovic, Drinking Water Operations Manager, El Dorado Irrigation District at 2890 Mosquito Road, Placerville, CA 95667, or [rodzakovic@eid.org](mailto:rodzakovic@eid.org).

In accordance with the Americans with Disabilities Act and California law, it is the policy of the El Dorado Irrigation District to offer its public programs, services and meetings in a manner that is readily accessible to everyone, including individuals with disabilities. If you are a person with a disability and require information or materials in an appropriate alternative format; or if you require any other accommodation, please contact the ADA Coordinator at the number or address below at least 72 hours prior to the meeting or when you desire to receive services. Advance notification within this guideline will enable the District to make reasonable arrangements to ensure accessibility. The District ADA Coordinator can be reached at: Phone: (530) 642-4045; e-mail: [adacoordinator@eid.org](mailto:adacoordinator@eid.org)