

El Dorado Irrigation District																			
Project 184																			
Streamflow and Water Storage Forecast																			
	Required					Required			Required				Required						
	South Fork	Alder	Canal	Caples	Caples	Caples	Silver	Silver	Silver	Echo	Echo	Echo	Echo	Aloha	Aloha	Pyramid	Hazel	Res.1	P.H.
	Below diversion	outlet	flows	storage	storage	outlet	storage	storage	outlet	storage	storage	outlet	Creek	storage	storage	flows	flows	flows	flows
DATE	CFS	CFS	CFS	STAGE	AF	CFS	STAGE	AF	CFS	STAGE	AF	CFS	CFS	STAGE	AF	CFS	CFS	CFS	CFS
7/1/2012	90	0	60	56.50	19,000	27	21.21	7,900	2	5.87	1,900	0	0.3	18.47	4,300	50	35	20	0
7/2/2012	90	0	40	56.42	18,950	6	21.12	7,860	2	5.86	1,898	0	0.3	18.33	4,220	50	15	20	0
7/3/2012	90	0	37	56.40	18,940	6	21.04	7,820	2	5.86	1,896	0	0.3	18.18	4,140	50	12	20	0
7/4/2012	90	0	34	56.38	18,930	6	20.96	7,780	2	5.85	1,894	0	0.3	18.04	4,060	50	9	20	0
7/5/2012	90	0	31	56.36	18,920	6	20.88	7,740	2	5.85	1,892	0	0.3	17.89	3,980	50	6	20	0
7/6/2012	90	0	28	56.34	18,910	6	20.80	7,700	2	5.84	1,890	0	0.3	17.74	3,900	60	3	20	0
7/7/2012	90	0	25	56.32	18,900	6	20.72	7,660	2	5.84	1,888	0	0.3	17.59	3,820	60	0	20	0
7/8/2012	90	0	25	56.30	18,890	6	20.63	7,620	2	5.83	1,886	0	0.3	17.44	3,740	60	0	20	0
7/9/2012	90	0	25	56.29	18,880	6	20.55	7,580	2	5.83	1,884	0	0.3	17.29	3,660	60	0	20	0
7/10/2012	90	0	25	56.28	18,870	6	20.47	7,540	2	5.82	1,882	0	0.3	17.10	3,560	70	0	20	0
7/11/2012	90	0	25	56.27	18,860	6	20.39	7,500	2	5.82	1,880	0	0.3	16.91	3,460	70	0	20	0
7/12/2012	90	0	25	56.25	18,850	6	20.33	7,470	2	5.81	1,878	0	0.25	16.72	3,360	70	0	20	0
7/13/2012	90	0	25	56.24	18,840	6	20.26	7,440	2	5.81	1,876	0	0.25	16.52	3,260	70	0	20	0
7/14/2012	90	0	25	56.21	18,830	6	20.20	7,410	2	5.80	1,874	0	0.25	16.32	3,160	70	0	20	0
7/15/2012	90	0	25	56.20	18,820	6	20.14	7,380	2	5.80	1,872	0	0.25	16.13	3,060	70	0	20	0
7/16/2012	90	0	25	56.18	18,810	6	20.08	7,350	2	5.79	1,870	0	0.25	15.93	2,960	68	0	20	0
7/17/2012	90	0	25	56.16	18,800	6	20.04	7,320	2	5.79	1,868	0	0.25	15.72	2,860	66	0	20	0
7/18/2012	90	0	25	56.14	18,790	6	19.95	7,290	2	5.78	1,866	0	0.25	15.51	2,760	64	0	20	0
7/19/2012	90	0	25	56.13	18,780	6	19.89	7,260	2	5.78	1,864	0	0.25	15.31	2,660	62	0	20	0
7/20/2012	90	0	25	56.11	18,770	6	19.83	7,230	2	5.77	1,862	0	0.25	15.11	2,560	60	0	20	0
7/21/2012	90	0	25	56.09	18,760	6	19.77	7,200	2	5.77	1,860	0	0.25	14.89	2,460	58	0	20	0
7/22/2012	90	0	25	56.07	18,750	6	19.71	7,175	2	5.76	1,858	0	0.25	14.68	2,360	56	0	20	0
7/23/2012	90	0	25	56.06	18,740	6	19.66	7,150	2	5.76	1,856	0	0.25	14.46	2,260	54	0	20	0
7/24/2012	90	0	25	56.04	18,730	6	19.61	7,125	2	5.75	1,854	0	0.25	14.29	2,180	52	0	20	0
7/25/2012	90	0	25	56.02	18,720	6	19.56	7,100	2	5.75	1,852	0	0.25	14.12	2,100	50	0	20	0
7/26/2012	90	0	25	56.00	18,710	6	19.50	7,075	2	5.74	1,850	0	0.25	13.94	2,020	48	0	20	0
7/27/2012	90	0	25	55.99	18,700	6	19.45	7,050	2	5.74	1,848	0	0.25	13.76	1,940	46	0	20	0
7/28/2012	90	0	25	55.97	18,690	6	19.40	7,025	2	5.73	1,846	0	0.25	13.57	1,860	44	0	20	0
7/29/2012	90	0	25	55.95	18,680	6	19.35	7,000	2	5.73	1,844	0	0.25	13.39	1,780	42	0	20	0
7/30/2012	90	0	25	55.93	18,670	6	19.30	6,975	2	5.81	1,842	0	0.25	13.21	1,700	40	0	20	0
7/31/2012	90	0	25	55.91	18,660	6	19.24	6,950	2	5.79	1,840	0	0.25	13.02	1,620	38	0	20	0